






Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções


SK1700 EN14439-C25





○ Hg=Ht-1 m



6	BCF052	2/4
5	BPF117	4/4
4	BPF039	4/4
3	ST117	2/2
2	BAF117	4/2
1	ST039	2/2





Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções

SK1700 EN14439-D25




○ Hg=Ht-1 m

6	BCF052	2/4
5	BPF117	4/4
4	BPF039	4/4
3	ST117	2/2
2	BAF117	4/2
1	ST039	2/2




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre

A=3.5 t



SK1700		
H-CATR (m)	41	44.9
(t)	98	112
n'	28xA	32xA


A=3.5 t




SK1700						
H-CAF (m)	24.7	28.6	32.5	36.4	40.3	44.2
(t)	63	63	70	77	91	112
n'	18xA	18xA	20xA	22xA	26xA	32xA

Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções


SN2050 EN14439-C25




○Hg=Ht-1 m




14	BCF52	2/4 M45
13	BAF052	2/4 M42
12	BPF117	4/4 M45-45
11	BNF117	4/4 M45-42
10	BOF117	4/4
9	BOF039	4/4
8	BO039	4/4
7	STR039	2/2
6	SBR117	4/2
5	SBR039	4/2
4	SB117	4/2
3	SB039	4/2
2	ST117	2/2
1	ST039	2/2




Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre



SN2050		
H-CATR (m)	57.1	61
(t)	102.32	112.46
n'	16B+2C	18B+2C





SN2050							
H-CAF (m)	37.2	41.1	45	48.9	52.8	56.7	60.6
(t)	92.18	92.18	92.18	102.32	112.46	122.6	132.74
n'	14B+2C	14B+2C	14B+2C	16B+2C	18B+2C	20B+2C	22B+2C




Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções

SN2050 EN14439-D25




○Hg=Ht-1 m


14	BCF52	2/4 M45
13	BAF052	2/4 M42
12	BPF117	4/4 M45-45
11	BNF117	4/4 M45-42
10	BOF117	4/4
9	BOF039	4/4
8	BO039	4/4
7	STR039	2/2
6	SBR117	4/2
5	SBR039	4/2
4	SB117	4/2
3	SB039	4/2
2	ST117	2/2
1	ST039	2/2



Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre




SN2050	
H-CATR (m)	45.4 49.3
(t)	102.32 112.46
n'	16B+2C 18B+2C




SN2050	
H-CAF (m)	37.2 41.1 45 48.9 52.8
(t)	92.18 102.32 112.46 122.6 153.02
n'	14B+2C 16B+2C 18B+2C 20B+2C 24B+2C

Torre/Reazioni – Masts/Reactions – Mat/Réactions – Maste/Eckdrücke – Mástil/Reacciones – Tramo/Reacções


SN2050 EN14439-D25





○Hg=Ht-1 m




14	BCF52	2/4 M45
13	BAF052	2/4 M42
12	BPF117	4/4 M45-45
11	BNF117	4/4 M45-42
10	BOF117	4/4
9	BOF039	4/4
8	BO039	4/4
7	STR039	2/2
6	SBR117	4/2
5	SBR039	4/2
4	SB117	4/2
3	SB039	4/2
2	ST117	2/2
1	ST039	2/2





Peso zavorra – Ballast weight – Poids du lest – Ballastgewicht – Peso de lastre






















Curve di carico con Ultra Lift UL




PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN

Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni-Dimensions (mm)			Peso-Weight (kg)	
			L	W	H	Unit	Total
Elemento di braccio Jib element Elément de èche Elemento de flecha	n°13 	1	5500	1480	2290	3635	—
	n°12 	1	5300	1200	2170	2140	—
	n°11 	1	5280	1200	2170	1320	—
	n°10 	1	5270	1200	2150	1160	—
	n°9 	1	5260	1200	2150	940	—
	n°8 	1	5260	1200	2120	800	—
	n°7 	1	5240	1200	2100	720	—
	n°6 	1	5225	1200	2060	600	—
	n°5 	1	5200	1200	1630	520	—
	n°4 	1	5160	1200	1630	420	—
	n°3 	1	5140	1200	1610	340	—
	n°2 	1	5110	1200	1610	260	—
	n°1 	1	5090	1200	1260	230	—
	Punta braccio 	1	700	1200	500	70	—
Controbraccio completo Complete counterjib Contreflèche complète Contraflecha completa		1	12560	1810	1480	5650	—
Gruppo girevole Slewing group Table tournante Grupo giratorio	SK1700 	1	2300	1810	2900	6000	—
	SN2050 	1	2450	1810	2900	6300	—
Carrello Trolley Chariot Carretilla	P10 	1	1600	1620	710	400	—
Ballatoio con cabina Access balcony with cabin Porte cabine Balcón corrido con cabina		1	2500	2150	2450	1000	—
Blocchi contrappeso Counterweight block Contre-poids Bloques de contrapeso	VX32 VS15 	VS15	1	1000	200	3550	1560
		VX32	8	1000	400	3550	3120
							24960

PESI E INGOMBRI – PACKING LIST – LISTE DE COLISAGE – GEWICHT UND ABMESSUNGEN

Denominazione Description	Disegno Draw	Pezzi Pieces	Dimensioni–Dimensions (mm)			Peso–Weight (kg)			
			L	W	H	Unit	Total		
Elemento di torre Mast element Elément de mature Elemento de torre	ST039		SK1700	–	3900	1785	1785	1750	–
	STR039		SN2050	–	3900	2110	2110	2320	–
	ST052		SK1700	–	5200	1785	1785	2250	–
			SN2050	–	5200	2110	2110	2850	–
	ST117		SK1700	–	11700	1785	1785	4690	–
			SN2050	–	11700	2110	2110	5790	–
	SB039		SK1700	–	3900	1785	1785	2100	–
	SB039		SN2050	–	3900	2110	2110	2710	–
	SB052		SK1700	–	5200	1785	1785	2600	–
			SN2050	–	5200	2110	2110	3350	–
	SB117		SK1700	–	11700	1785	1785	4830	–
	SBR117		SN2050	–	11700	2110	2110	7000	–
	BOF039		SK1700	–	3900	1785	1785	2450	–
	BPF039		SN2050	–	3900	2110	2110	3370	–
	BO039		SN2050	–	3900	2110	2110	3370	–
Elemento di base Base element Mat de base Elemento de base	BOF052		SK1700	1	5200	2060	2060	3650	–
	BCF052		SN2050	1	5200	2260	2260	4040	–
	Carro di base Base carriage Chassis de base Cruceta de base		4.5x4.5	1	6670	500	1260	3180	3180
			6x6	1	8870	670	780	2500	2500
		4.5x4.5	2	3100	500	1260	1400	2800	
		6x6	2	4320	420	780	1200	2400	
Puntoni di base Rafter Jambes de force Cabrios de base		6x6	4	4560	420	300	420	1680	
Elemento a perdere Disposable frame Chassis a perdre Bastidor desechable		SK1700	1	1840	1910	1910	1430	–	
		SN2050	1	2600	2260	2260	2030	–	
Elemento recuperabile Recoverable frame Chassis récupérable Bastidor recuperable		SK1700	1	1300	2170	2170	1720	–	
		SN2050	1	1300	2620	2620	1860	–	
Bogie di traslazione Driven bogie Boggie motorisèe Balancin de traslaciòn		4	1160	700	600	700	2800	–	
Blocco zavorra di base Base ballast block Lest de base Brique de lastre		4.5x4.5	–	4400	1200	290	3500	–	
		6x6	2	6400	1200	600	10600	21200	
		6x6	–	4800	2000	300	5070	–	
Corsoio di montaggio Climbing cage Cage de montage Jaula de montaje		SK1700	1	8300	2600	2500	6000	–	
		SN2050	1	8300	2900	2700	6700	–	

GRU IN CAVEDIO – TELESCOPAGE SUR DALLES – CLIMBING CRANE – KLETTERKRANE IM GEBAUDE




SK1700	H (m)	A (m)
	39	Min 9
Apertura passaggio gru Opening for crane passing 		Max 12

SN2050	H (m)	A (m)
	50.8	Min 9
Apertura passaggio gru Opening for crane passing 		Max 12


SOPRALZO IDRAULICO – TELESCOPABLE – EXTERNAL CLIMBING – KLETTERKRANE

C25


	SK1700
MAX C	32.5 m
B	19.5 m
A	42.9 m




	SN2050-M42	SN2050-M45
MAX C	36.4 m	36.4 m
B	23.4 m	23.4 m
A	46.8 m	54.6 m
		Hmax+7.8 m



Montaggio – Montage – Erection – Montage – Montaje – Montagem



Sollevamento V37.90
Hoisting
Levage
Heben
Elevaciòn
Elevaçao



V37.90

37 kW — 53.5 kVA



210 m
450 m (L)

Carrello Trolleying Distribution Katzfahren Distribuciòn Distribuição	◀ ▶		0 → 80	m/min	4 kW	Potenza elettrica necessaria Puissance électrique nécessaire Necessary electric power Anschlusswert — Potencia
Rotazione Slewing Orientation Schwenken Orientaciòn Rotação	↻		0 → 0,8	giri/min tr/min rp/min	n° 2 x 5.5 kW	
Traslazione Travelling Translation Kranfahren Traslaciòn Translação	◀ ▶		0 → 20	m/min	7.5 kW	

Rete elettrica — Réseau — Mains supply — Netzstrom — Red — Rede electrica 400V — 50 Hz